

IXOM TRAILER CUBE™



IXOM

Key Product Features:

- Accommodates standard 1,000 litre IBC
- 200 litre day tank facilitates continual dosing during IBC change over
- Dosing rate up to 375 litres by hour
- Self-bunded
- Local design and build allowing customisation to suit your application
- Provides hassle-free mobile dosing

Suitable For Common Water Treatment Chemicals Including:

- Aluminium Sulphate
- Antiscalants, Biocides, Dispersants and other specialty chemicals
- Ferrous Chloride
- Magnesium Hydroxide Liquid (MHL)
- Sodium Hypochlorite (Hypo)
- Sodium Hydroxide (Caustic)
- Sodium Bisulphite (SBS)
- Sulphuric Acid

What is a Trailer Cube™?

The Trailer Cube™ is an innovative product developed by Ixom for the safe, reliable and mobile dosing of IBC packaged chemicals. The Cube™ is fully mobile and includes a sealed containment bund, day tank and dosing pump skid assembly. The benefit the Trailer Cube™ has over its stationary rivals is its ability to dose chemicals all around site, delivering crucial dosing without the need for a permanent structure.

Ixom's Trailer Cube™ is designed and manufactured in Australia using components from industry leading brands such as Grundfos, Georg Fischer and Endress+Hauser.



Ixom Water Treatment Systems

1 Nicholson St
East Melbourne VIC 3002
Australia

T Australia
1300 559 262
New Zealand
0800 222 277
All other locations
61 3 9906 3000
E water.treatment@ixom.com

Ixomwatercare.com/ixomwts

For specialist advice in an emergency, call Ixom's
24 HOUR EMERGENCY RESPONSE SERVICE


Australia
1800 033 111

New Zealand
0800 734 607

International
+61 3 9663 2130

Dosing circuit includes:

- Grundfos digital dosing pump(s)
- Georg Fischer valves
- Pressure loading valve (s)
- Pressure relief valve (s)
- Calibration tube (s)
- Pulsation dampener (s)
- Pressure gauge (s)



Safety in Design

Each Trailer Cube™ has been designed to incorporate Ixom's extensive knowledge and best practice in chemical storage and handling. The Trailer Cube™ is designed in accordance with ANZ standards and developed using the IXOM HAZOP process to minimise operational and safety risks.

Configurable Product To Suit Your Application

- Dosing pumps such as AODD, peristaltic, mag drive and progressive cavity
- Types/brands of equipment
- Variable material of construction
- Dilution circuits
- Rain cover
- IBC filling spool

Ixom Water Treatment Systems

1 Nicholson St
East Melbourne VIC 3002
Australia

T Australia
1300 559 262
New Zealand
0800 222 277

All other locations
61 3 9906 3000
E water.treatment@ixom.com

ixomwatercare.com/ixomwts

For specialist advice in an emergency, call Ixom's
24 HOUR EMERGENCY RESPONSE SERVICE

Australia
1800 033 111

New Zealand
0800 734 607

International
+61 3 9663 2130

What's your challenge?

Important Notice

While the information contained here is Ixom's best knowledge at the date of publication, Ixom makes no representation about the accuracy of the information. If you need clarification or more information, you should contact Ixom. Ixom's equipment and technology applications and solutions are designed to fit the specific requirements and conditions of each customer site operations. The outcomes of its equipment and technology applications may differ between operations and sites. To the extent legally permissible Ixom accepts no responsibility (including in negligence) for loss or damage of any nature resulting from the use of Ixom's products or reliance upon the information contained here. Issued by Ixom WTS, a division of Ixom Operations Pty Ltd (ABN 51 600 546 512), 1 Nicholson Street, Melbourne. Ixom and the Ixom logo are trademarks of Ixom Group.

Revision 1 released 6/07/2021. Uncontrolled if printed. Access latest version at www.ixomwatercare.com/ixomwts-productguide.